L Number	Hits	Search Text	DB	Time stamp
-	14	(709/203.ccls. and 707/204.ccls.) and @ad<20010105	USPAT; US-PGPUB	2004/04/28 09:45
-	636	707/204.ccls. and @ad<20010105	USPAT; US-PGPUB	2004/04/28 09:46
-	22	(707/204.ccls. and @ad<20010105) and (distribute$3 NEAR4 (backup or "back-up"))	USPAT; US-PGPUB	2004/04/28 09:52
-	93	(707/204.ccls. and @ad<20010105) and ((parallel or redundan$3 or multiple) NEAR5 (backup$2 or "back-up"))	USPAT; US-PGPUB	2004/04/28 09:53
-	85	((707/204.ccls. and @ad<20010105) and ((parallel or redundan$3 or multiple) NEAR5 (backup$2 or "back-up"))) not ((707/204.ccls. and @ad<20010105) and (distribute$3 NEAR4 (backup or "back-up")))	USPAT; US-PGPUB	2004/04/28 10:55
-	0	(client and server and (backup or "back-up")) NEAR6 (permanent or ("not" NEAR3 delete)) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 10:59
-	451	(permanent or ("not" NEAR3 delete)) NEAR4 database and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:02
-	265	((permanent or ("not" NEAR3 delete)) NEAR4 database and @ad<20010105) and (redundan$3 or parallel or shadow$3 or "SAN" or (backup or "back-up"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:00
-	0	("not" NEAR3 delete) NEAR4 database and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:03
-	0	undeleteable NEAR4 (record or table or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:03
-	0	undeleteable SAME (record or table or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:11
-	0	undeleteable AND (record or table or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:15
-	15952	(("not" NEAR3 delete) or permanent) SAME (record or table or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:17
-	6264	(("not" NEAR3 delete) or permanent) NEAR2 (record or table or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:19
-	6264	(permanent) NEAR2 (record or table or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:20
-	1	(("not" or "un") adj2(chang$4 or modif$5 or delete) NEAR3 database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:21

TJM
4/29/04

-	0	("can't" or (can adj1 "not")) NEAR3 (delete or purge or remove) NEAR4 database and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:22
-	0	("can't" or (can adj1 "not")) NEAR10 (delete or purge or remove) NEAR4 database and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:23
-	1	("can't" or (can adj1 "not")) NEAR10 (delete or purge or remove) NEAR4 (record or file) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:24
-	8	record NEAR10 cannot NEAR4 delete and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:27
-	0	undeleteable NEAR8 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:27
-	0	undeleteable NEAR20 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:29
-	7333	(permanent or persistent or perpetual) NEAR6 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:29
-	540	(persistent or perpetual) NEAR6 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:31
-	386	((persistent or perpetual) NEAR6 (record or log or entry) and @ad<20010105) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:30
-	1939	(locked) NEAR6 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:31
-	21	(locked NEAR7 delet$3) NEAR6 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:49
-	62	(cannot NEAR7 (delete or purge or remove)) NEAR10 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:06
-	299	(prevent$3 or stop$4 or protect$3) NEAR5 (record or database) NEAR4 (remov$3 or delet$3) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:12
-	39	((prevent$3 or stop$4 or protect$3) NEAR5 (record or database) NEAR4 (remov$3 or delet$3) and @ad<20010105) and (client and server and (backup or "back-up" or "back up"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:37

-	4825	(airplane or plane or flight) NEAR5 (log or record or database or maintenance) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 13:18
-	386	(airplane or plane or flight) NEAR5 (database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:42
-	0	(airplane or plane or flight) NEAR5 (database) NEAR10 (client and server and (backup or "back-up" or (back adj1 up))) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:43
-	0	(airplane or plane or flight) NEAR5 (database) SAME (client and server and (backup or "back-up" or (back adj1 up))) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:43
-	13	((airplane or plane or flight) NEAR5 (database) and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:43
-	42	(airplane or plane or flight) NEAR5 (maintenance or repair or service) NEAR5 (log or record or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 13:19
-	6290	(maintenance or service) NEAR5 record and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:50
-	336	((maintenance or service) NEAR5 record and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:50
-	42	(((maintenance or service) NEAR5 record and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up)))) and (client NEAR4 ("ID" or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:50
-	1805	(maintenance or repair) NEAR5 record and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:53
-	95	((maintenance or repair) NEAR5 record and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:57
-	33	((maintenance or repair) NEAR5 record and @ad<20010105) and (client NEAR4 ("ID" or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:51
-	95	(((maintenance or repair) NEAR5 record and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up)))) and (client and server and (backup or "back-up" or (back adj1 up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:51
-·	18	(((maintenance or repair) NEAR5 record and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up)))) and (client NEAR4 ("ID" or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:51

-	3	(airplane or airline) NEAR5 (maintenance or repair) NEAR5 record and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:56
-	6366	(vehicle or car or maintenance or inspection) NEAR5 record and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:56
-	127	((vehicle or car or maintenance or inspection) NEAR5 record and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:57
-	3915	(accurate or unalterable) NEAR7 (record or log or database)	USPAT; US-PGPUB	2004/04/29 08:57
-	39	(unalterable) NEAR7 (record or log or database)	USPAT; US-PGPUB	2004/04/29 09:08
-	49	(unalterable) NEAR7 (record or log or database)	USPAT; US-PGPUB	2004/04/29 09:12
-	10	((unalterable) NEAR7 (record or log or database)) not ((unalterable) NEAR7 (record or log or database))	USPAT; US-PGPUB	2004/04/29 09:12
-	1	(unalterable and unerasable) NEAR7 (record or log or database)	USPAT; US-PGPUB	2004/04/29 09:14
-	1	(unalterable and unerasable) NEAR20 (record or log or database)	USPAT; US-PGPUB	2004/04/29 09:14
-	0	(unalterable and undelet$4) NEAR20 (record or log or database)	USPAT; US-PGPUB	2004/04/29 09:14
-	1	("5987474").PN.	USPAT; US-PGPUB	2004/04/29 09:27
-	1	("20020091756").PN.	USPAT; US-PGPUB	2004/04/29 15:38
-	4	6308120.URPN.	USPAT	2004/04/29 09:55
-	1	6487479.URPN.	USPAT	2004/04/29 09:58
-	25	("4404639" | "5414626" | "5552987" | "5717595" | "5729452" | "5808907" | "5870464" | "5931877" | "5960196" | "6003808" | "6052631" | "6067486" | "6115656" | "6151582" | "6151601" | "6233577" | "6263265" | "6263268" | "6263322" | "6308120" | "6314422" | "6321142" | "6330499" | "6336079" | "6338152").PN.	USPAT	2004/04/29 09:58
-	19	("4258421" | "4506337" | "4533900" | "4602127" | "4739482" | "4991169" | "5751338" | "5819201" | "5933080" | "6023232" | "6038508" | "6067009" | "6067486" | "6097313" | "6119060" | "6154658" | "6169943" | "6172602" | "6195602").PN.	USPAT	2004/04/29 10:01
-	9	airplane NEAR6 (maintenance NEAR5 (record or log))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:19
-	1181	701/29.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:19
-	80	701/29.ccls. and airplane	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:25
-	45	(maintenance adj4 record).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:01

-	0	client NEAR8 (submit or enter) NEAR8 (maintenance adj5 record) NEAR3 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:43
-	0	client NEAR8 (submit or enter or send) NEAR8 (maintenance adj5 record) NEAR3 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:44
-	4	database NEAR6 record SAME (keyed NEAR6 ((client or user) NEAR5 ("ID" or identifier)))	USPAT; US-PGPUB	2004/04/29 10:49
-	3	database NEAR6 record SAME (indexed NEAR6 ((client or user) NEAR5 ("ID" or identifier)))	USPAT; US-PGPUB	2004/04/29 10:50
-	4	database NEAR6 record SAME (indexed NEAR6 ((client or user) NEAR5 ("ID" or identifier or address)))	USPAT; US-PGPUB	2004/04/29 10:50
-	3	(airplane NEAR8 repair).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:02
-	2	(US-6292806-$ or US-6308120-$).did.	USPAT	2004/04/29 13:00
-	1	((US-6292806-$ or US-6308120-$).did.) and ((maintenance or service) NEAR10 requirement)	USPAT; US-PGPUB	2004/04/29 13:04
-	59	(notify$3 or alert$3) NEAR6 ((maintenance or service) NEAR10 requirement)	USPAT; US-PGPUB	2004/04/29 13:09
-	135	(notify$3 or alert$3) NEAR6 (schedule$2 NEAR8 (maintenance or service))	USPAT; US-PGPUB	2004/04/29 13:09
-	64	(notify$3 or alert$3) NEAR6 (schedule$2 NEAR8 (maintenance or service)) and @ad<20010105	USPAT; US-PGPUB	2004/04/29 13:09
-	64	((notify$3 or alert$3) NEAR6 (schedule$2 NEAR8 (maintenance or service)) and @ad<20010105) not ((notify$3 or alert$3) NEAR6 ((maintenance or service) NEAR10 requirement))	USPAT; US-PGPUB	2004/04/29 13:20
-	30	5931878.URPN.	USPAT	2004/04/29 13:15
-	442	maintenance NEAR6 alert and @ad<20010105	USPAT; US-PGPUB	2004/04/29 13:20
-	7	computer NEAR2 maintenance NEAR6 alert and @ad<20010105	USPAT; US-PGPUB	2004/04/29 13:20
-	0	software NEAR6 (pilot NEAR4 flying) and @ad<20010105	USPAT; US-PGPUB	2004/04/29 15:39
-	9	software SAME (pilot NEAR4 flying) and @ad<20010105	USPAT; US-PGPUB	2004/04/29 15:39
-	0	(pilot NEAR7 record NEAR8 (flying adj5 hours)) and @ad<20010105	USPAT; US-PGPUB	2004/04/29 15:40
-	1	(pilot NEAR7 (flying adj5 hours)) and @ad<20010105	USPAT; US-PGPUB	2004/04/29 15:40
-	34	pilot NEAR5 log and @ad<20010105	USPAT; US-PGPUB	2004/04/29 15:40